

CATALOG and HANDY BOOK

-FOR-


Plasterers Bricklayers
Tile Layers Stone Masons
Paper Hangers
Cement Workers
Stone Cutters
Terra Cotta Workers
and Marble Setters



"We Could Sell Cheaper Tools, But We Won't"
"We Would Sell Better Tools, But They're Not Made"

H. GOLDBLATT TOOL COMPANY

Kansas City, Missouri



Very respectfully,

H. GOLDBLATT TOOL CO.

HOW TO ORDER

Write name and address plainly. Always give catalogue number of each tool wanted.

POSITIVELY NO GOODS SENT C. O. D.

HOW TO SEND MONEY

Remittances should be made by Postoffice or Express Money Order, or by Bank Draft. Do not send personal checks, as the banks charge exchange. If you send cash we suggest you register the letter.

ADDRESS ALL ORDERS

and Make All Remittances to

H. GOLDBLATT TOOL CO.

213 E. 15th Street, KANSAS CITY, MO.

The day we receive your order we immediately mail you a card acknowledging receipt of your order, and advise you how we are shipping your tools, over what Railroad, express company, or whether by parcel post.

Plasterers' Trowels



No. 1G—Finishing Trowel, made of 24-gauge best trowel steel, highly polished and etched; mounting extends within one inch of each end of blade and contains ten large rivets. This leaves plenty of spring for finishing; also prevents lime from working between blade and mounting. Our Handles are shaped so as to fit your hand, and the Trowel is balanced so as to please the most particular mechanic.

Made in the following sizes: 11 inches, 111/2 inches,

12 inches.

Price each, any size.....\$2.00

We are the originators of this pattern of Plastering Trowel. Every good Plasterer uses the Goldblatt Trowel.

No. 2G—Browning Trowel, for rough coating, made of 22-gauge best trowel steel, highly polished and etched; mounting extends within a half inch of each end of blade, and contains twelve large rivets. Otherwise the same as No. 1G.

Made in same sizes as the No. 1G.

Price each, any size......\$2.00


Marshalltown Plastering Trowels, any size, \$2.00

We make low, medium and high mounts in all of above Trowels. By this we mean the space between the upper side of mounting and the under side of handle. As a rule, a plasterer with a small hand wants a low mount, one with a medium size hand wants a medium mount and one with a large hand wants a high mount. If above is not specified in order, we always ship Trowels medium mounts, and when sizes are not specified we always ship 11½-inch.

You should not fail to read testimonials on page 47 of this catalog.

Don't forget-It's your Confidence we want

Plasterers' Trowels Woodrough & McParlin



No. 1 K. C.—Plastering or Cement Sidewalk Trowel, made of light or extra light 24-gauge best trowel steel, highly polished and etched; mounting contains five rivets. On account of the extreme flexibility of the blade this Trowel is best adapted for cement sidewalk work, and we especially recommend it for that use. The best workmen everywhere are using them.

Made in the following sizes:

Extra Trowel Blades



Extra Trowel Handles

Same Handle as used on our \$2.00 Plastering Trowel. Price each......10c




Plasterers' Snips



Finest quality Steel
(not pot metal)
Used for cutting
metal lath, etc. 11½
inches long.
Price per pair....85c


We pay the postage and deliver Tools to your door

Goldblatt Plasterers' Brushes



Leather Bound.

No. 02—2 row white Russian bristle, Finishing.\$3.30
No. 03—3 row white Russian bristle, Finishing. 3.85
No. 002—2 row grey Russian bristle, Finishing. 3.00
No. 003—3 row grey Russian bristle, Finishing. 3.50
No. 12—2 row grey Mixed hair, Browning... 2.00




Leather Bound.


No. 2P—2 row white Russian bristle, Finishing..\$2.75 No. 3P—3 row white Russian bristle, Finishing.. 3.00

Our Brushes have stood the test for years. Only the finest quality of Russian bristles are used in their manufacture. They are made expressly for plasterers' use. Please remember that in measuring length of bristles in leather bound Brushes the bristle is measured from back of leather binding.

For complete information on Exterior Plastering, read pages 20, 21, 22 and 23



Splatter Dash or Stucco Dash Brush



Made of Bassine.


Black.	21/4 x5 in	ch. A	more	compact	brush	than one
						55c
NT- 44						650

Splatter Dash or Stucco Dash Broom.



We guarantee safe delivery of your order. You take no risk whatever.

Plasterers' Aluminum Hawks



Aluminum Hawks are far superior to Wooden Hawks. They are the cheapest in the long run. The vast quantities of Aluminu. Hawks which we have sold in the last few years plainly indicates the fact that the plasterers are now using them in preference to the Wood Hawks.

Our Aluminum Hawks are made of very hard cold rolled aluminum $\frac{3}{2}$ inches thick. They are lighter in weight than Wood Hawks. The handles are detachable with a 4-inch flange with a hub extending % of an inch to receive thread on handle. This flange makes the Hawk very strong and durable.

tne	Hawk very strong a	nd dura	able.
No.	1—13 x 13 -inch.	Price.	each\$2.00
No.	2-13½ x13½-inch.	Price,	each 2.15
	$3-14 \times 14$ -inch.		

Plasterers' Aluminum Darbies



Light, strong and more flexible than Wood Darbies; 44 inches long; 3½ inches wide; ½ in thick. The 4-inch round handle is detachable. Rib is 18 inches long. It's a fine tool for fine work.

Plasterers' Wood Darbies

Plasterers' Callous Preventer Will Fit on Aluminum or Wood Hawks.

Made from a very fine white gum rubber. Soft and easy to your hand.



With the use of this rubber flange on your Hawk, we guarantee that your callouses will disappear and your hands will remain clear from callouses.

This rubber callous preventer which we have just introduced to the plasterers in the last year has turned out to be one of our best and biggest selling items, because it is appreciated by every good mechanic who takes pride in the appearance of his hands. After you have one of these Callous Preventers you will thank us for calling your attention to this article. No. 3. Price, each.....

Plasterers' Wood Hawks

Made of selected soft white pine.

Width of dovetail 5 inch; length of handle 6 inch; weight approximately 1% pounds.

No. 50-13 or 14inch, with stationary handle.

Price, each.75c

No. 60—13x13 or 14x14-inch, with patent detachable brass center screw handle. Price, each.....\$1.00 No. 6H-Extra Patent Hawk Handles. Price, each 25c No. 6B-Extra Hawk Boards. Price, each..... 75c

Best Tools are the cheapest Tools We want your confidence as well as your orders.

Plasterers' Angle Paddles



Made of hard maple. Width 3 inches, length 3 inches, thickness %-inch.

No. 1—Plain......20c No. 2—With steel edge 35c
There are others who have tried to imitate our Steel
Edge Paddle, but have failed. There is no other paddle
so good and practical as the Goldblatt Steel-Edge Paddle.

Float Handles



This Handle is 9¼ in. long by 1½ in. thick. Has oval shaped hand hold, and fits the hand fine.

Plasterers' Cork Floats Unhandled



Made from one thickness of cork, carefully smoothed on both sides.

 No.
 014
 017

 Sizes, inches.
 12x5x1
 12x6x1¼

 Price.
 50c
 60c

Plasterers' Cork Floats Unhandled

Made from two thicknesses, each thickness being ½-inch. These corks will hold their shape better than cork of one thickness. These are more select quality of cork than those above and we highly recommend this cork to you.

No.	914	916
Size, inches		12x6x1
Price	65с	75c

We deliver this goods to your door at these low prices

Plasterers' Cork Floats

Handled

Our Acme reinforced Float is the best thing of its kind ever produced.



The cork, which is of the very best quality, is attached to a piece of soft pine. The handle is fastened to the wood side of cork, leaving the face of cork as true, square and smooth as possible to make it.

It is for the mechanic who appreciates a good tool.
No. 14H—Price, 5x12......85c

Wood Floats Made of Selected Soft Pine



No			08	
Size	4x10	5x12	5x14	6x14
Price, each	35c	40c	45c	50c

Zig-Zag Folding Rules



Six Inch Fold, Rivet Joi	nt, Yellow Enamel.	8
Length, feet	30c 35c	40c
Six Inch Fold, Rivet Jo	int, White Enamel.	8
Length, feet	40c 45c	50c

These Tools are delivered to your door at these prices

Plasterers' Ornamental Tools Tyzack's English Make Leaf and Square



No. C25. Size ¼ in. % in. ½ in. % in. ¾ in. % in. Price...... 35c 40c 45c 50c 55c 60c

Trowel and Square



No. C32—Size.. % in. ½ in. % in. ¾ in. 1 in. 11/4 in. Price, each.... 55c 60c 65c 70c 80c

Trowel and Bead



No. C34—Size.....1 in. 11/4 in. Price, each...

75c

Gouge Tool



Pointing Trowels



Sitze 4½ in. 5 in. 5½ in. 6 in. Price..... 25c 30c 35c 40c

These prices are what you pay for the Tools. We pay for delivering it to you

Plasterers' Margin Trowels

This is one of the handiest tools in a plasterer's kit.



Plasterers' Gauging Trowels Tyzack's English Make



Scratch Tools Tyzack's English Make





No. C43......50c





We deliver these Tools to your door without any extra expense to you

Plasterers' Miter Rods Tyzack's English Make



Made of the highest grade of steel. Light in weight and true in accurateness.\$0.10 .25 No. 022— 6 inches long. No. 022— 8 inches long. No. 022—10 inches long. .35 .50 .60 No. 022—12 inches long..... .70 No. 022—14 inches long.
No. 022—16 inches long.
No. 022—18 inches long. .80 .95 1.05 No. **022**—20 inches long..... 1.20 1.30 1.40

Plasterers' Rubber Gloves



These gloves are made of fine white rubber and are acid proof. When ordering state whether left or right hand gloves are wanted. No..... 020 Length of cuff 5 in. Each.....\$1.45 \$1.85

Plasterers' Trimming Knife



No. C55-5 in......65c No. C55-6 in......75c



Plasterers' Chalk Line

A fine braided line, mottled color, for fine ornamental work; 50 feet in a spool.

No. 54—Per spool......15c

We pay transportation charges and deliver to your door. Remember this means a whole lot.

Plasterers' Level-Wood



Plasterers' Level—Aluminum



This Aluminum Level is built exactly the same as the Wood Levels shown above, as far as the manner in which the level and plumb glasses are set and protected. Has two levels and two plumbs. Works either end or edge up. This Level is 18 inches long. Weighs 13/4 pounds.


No. P7—Each \$3.50

Level Cover or Case



Blindman's Rule

Two feet Four fold



Plasterers' Saw

A Real Plasterers' Saw—not a carpenters' or Farmers' Saw. Read Description.



Plasterers' Squares



Plasterers' Tool Brushes—Round
Made of Genuine Bristle—White Color



Plasterers' Tool Brushes—Flat Made of Genuine Bristle—Black Color



 No.
 1
 2
 3

 Size, width
 1-in.
 1½-in.
 2-in.

 Price each
 15c
 20c
 25c

We deliver these Tools to your door at these prices

Aluminum Line Level




The "Goldblatt Line Level" consists of an accurate, proved level glass placed in a three-inch aluminum tube with "spring German silver" end pieces and hooks formed from one piece of metal. The end pieces are attached to the tube by German silver rivets that pass through the tube and through lugs at top and bottom between the hooks and the center of the level, thus preventing the hooks from pulling out of alignment in case of severe strain

or rough usage.
Every level is carefully tested and proved and is

and proved and is guaranteed to be accurate.

Every plaster-



cement worker should have one of these little tools in his outfit. They weigh only one-half ounce and take up about the same space as a fountain pen if carried in the pocket. The uses to which they can be put are almost as many as those of the old style wood level. They take the place of a straight edge and level and do the work more accurately.

No. 14. Price, each......50c

Lath Hatchets

Genuine Underhill (Not imitation.) No... 99 100 Row.. 9 10

Row.. 9 10 Wght.19 oz. 22 oz. Price.\$1.85 \$2.35

Plasterers' Scaffold

Hatchet

No. 21 Weight. . . . 18 oz. Price. 60c





Tool Bags-Valise Shape

This Tool Bagismade of heavy canvas, sewed by hand to a hoop steel frame; has a lock and 2 straps over top; it is very durable. Has pocket on All inside. leather trimmings are securely fastened to canvas.



The 16 and 18-in. size are better adapted for Bricklayers and Masons, and the 20 and 22-in. and 24-in.

sizes are better adapted for Plasterers.

031 032 No..... 028 029 030 22-in. 24-in. Length.....16-in. 18-in. 20-in Depth......13-in. 14-in. 16½-in. 17½-in. 18½ Price......\$1.65 \$1.80 \$2.00 \$2.25 \$2. For Leather Bottom Tool Bags—See Page 26. 18½-in. \$2.50



Knapsack Shape

This Bag is made of heavy canvas, with double bottom; has detachable shoulder strap, and will hold all the tools that can be carried. Made for durability and convenience.

18 inches high, 16 inches wide, 6 inches thick.

All leather trimmings are securely fastened to canvas.

No. 033.....\$1.60

We deliver any of the above Bags to your door by Parcel Post

Plasterers' Tile Markers New Style



For Imitation Tile Work

This tool is used to mark off imitation tile on plastering, in bath rooms and kitchens. It not only makes an impression, but when tool is used at an angle, it cuts out the crease, and cuts it smooth, which makes the crease look identically like the spacing between tile brick. The size of the crease can be made small or large, depending on the amount of pressure put on the tool by the workman. The tool is of such shape which makes it possible to get it into any angle or corner. It is made of high grade tool steel and highly tempered. Length of cutting part, 3 inches from tip to tip; entire length of tool is 7 inches. Our Tile Marker is the most practical and positively the best tool made for this purpose, and the best plasterers all over the country know this.

No. T3-Price, each.....

Plasterers' and Masons' Work Jackets Union Made

This Jacket is made of same white goods that our Goldblatt Overalls are made of. They have three pockets, and well made in every respect. Sizes 36 to 44. When ordering give size of breast measurement.


No. 565-Price60c



We pay the postage and deliver to your door free of charge

Plasterers' and Masons' Working Garments

This is our Special Plasterers' Overalls without bib. They have five belt loops around waist line. These Overalls are made purposely for those plasterers who do not like Bib Overalls, and who prefer to use a belt instead of suspenders. They have two hip or back pockets, two small ones on the side of legs for pointing trowel and other small tools, and a watch pocket on inside of waist line. They are made of best quality white Overall Goods and are well made. All sizes. No. 567—Price, per pair ...60c





Goldblatt Union Made Overalls —with Bib

This is our regular Bib Overall. They have two pockets in front, one in the back, one small one on the side, and a 2-inch loop on the back to hold a trowel or hammer, etc. Otherwise same as above.

No. 566-Price, per pair....65c

When ordering Overalls do not fail to state sizes wanted. Give waist and length measurement.

Belts



You have no transportation charges to pay. We pay it at our end of the line.

Plasterers' and Masons' Working Garments

Caps A 20c Cap for



Our advertisement appears on the cap, but this is why we sell them for only 5c. The Caps cost us more than the price we sell them for. They are made of a fine quality white

material and are lined. Most all advertising Caps are not lined. Our Cap being lined prevents the mortar and plaster dust from getting into your hair. Made with a white bill, and they are sized correctly. When

ordering state size wanted.

Aprons

This Apron is used principally by plasterers. It prevents the mud from getting into pockets. These Aprons are made of same white goods that our Overalls are made



of. They are 30 inches wide, 18 inches high and have two strong 24-inch bands attached.



Plasterers' Work Shirts

Lightweight Balbriggan Undershirts. Made from selected cotton. Strongly reinforced throughout; cream color; long sleeves. Be sure to state size wanted.

No. 570—Price Each.. 25c Heavy elastic ribbed, slightly fleece lined Undershirts. Used in cold weather. Cream color; long sleeves. Be sure to state size wanted.

No. 571—Price each . . 50c

Exterior Plastering Specifications

Our Useful Handy Book Information.

Paragraphs marked "a" apply only to back-plastered walls without sheathing.

Paragraphs marked "b" apply only to walls with sheathing.

All other paragraphs apply to both forms of construction.

Materials.

- 1. Cement.—The cement shall meet the requirements of the Standard Specifications for Portland Cement of the American Society for Testing Materials, (Standard No. 1, Association of American Portland Cement Manufacturers.)
- 2. Fine aggregate shall consist of sand, crushed stone, or gravel screenings, graded from fine to coarse, passing when dry a screen having one-eighth inch diameter holes, shall be preferably of silicious materials, clean, coarse, free from loam, vegetable or other deleterious matter.
- 3. Lime.—The lime shall be thoroughly hydrated either by the manufacturer, or the contractor. If hydrated by the contractor, it shall be slaked in sufficient water to make a soft paste and allowed to stand at least one week before being applied to the wall.
- 4. Hair or Fibre.—There shall be used only first quality long cow hair, free from foreign matter, or a long cocoanut fibre well combed out.
- 5. Coloring Matter.—Only mineral colors shall be used, but no coloring matter which is affected by lime, Portland cement or the elements is permissible.
- 6. Water shall be clean, free from oil, acid, strong alkalies or vegetable matter.

Preparation of Mortar.

7. Mixing.—The ingredients of the mortar shall be thoroughly mixed to a uniform color, sufficient water added to obtain the desired consistency, and the mixing shall continue until the cement and lime are uniformly distributed and the mass is uniform in color and homogeneous.

The hair or fibre shall be added during the process of wet mixing.

8. Measuring Proportions.—Methods of measurement of the proportions of the various ingredients, including the water, shall be used which will secure separate uniform measurements at all times. All proportions stated are by volume. A barrel of cement shall be assumed to contain 3.8 cubic feet. Lime when used shall be measured in the form of putty. Hydrated lime shall be made into putty before being measured. A cubic foot of

Exterior Plastering Specifications Continued

lime putty contains .31 cubic feet of hydrated lime weighing 45 pounds and .69 cubic feet of water weighs 43 pounds.

- 9. Quantity.—There shall not be mixed at one time more mortar than will be used within one hour. Mortar which has begun to stiffen or take on its initial set shall not be used.
- 10. Hand Mixing.—The mixing shall be done on a water-tight platform and the materials shall be turned until they are homogeneous in appearance and color.
- 11. Consistency.—The materials shall be mixed so as to provide sufficient water to insure a proper bonding and a dense mortar free from voids.
- 12. Retempering.—Retempering mortar, i. e., remixing with water after it has partially set, shall not be allowed.

Mortar Coats.

- 23. Plaster.—(a) The first coat shall contain not more than two and one-half (2½) parts of sand to one (1) part of Portland cement by volume. If lime putty is added, it shall not be in excess of one-third (½) of the volume of cement. Hair or fibre may be added in sufficient quantity to bond the mortar.
- (b) The first coat shall contain not more than two and one-half (2½) parts of sand to one (1) part of Portland cement by volume. If lime putty is added it shall not be in excess of one-third (½) of the volume of cement. No hair, fibre or similar material of any kind or in any quantity shall be added to the mortar.

For second coat, the proportion of sand to cement shall not be greater than $2\frac{1}{2}$ to 1 by volume, nor shall more than one-third part of lime putty be added.

For third coat, the proportion of sand to cement shall not be less than 2½ to 1, by volume, nor shall more than one-third part of lime putty be added.

- 24. Waterproofing.—When a special waterproofing is to be added to mortar for stucco work, it shall be added in strict accordance with the specifications of the manufacturer. Lime should be omitted in the coat in which waterproofing may be used.
- 25. Application.—The plastering should be carried on continuously in one general direction, without allowing the plaster to dry at the edge. If it is impossible to work the full width of the wall at one time, the joint should be at some natural division of the surface, such as a window or door.

Exterior Plastering Specifications Continued

- (a) The first coat shall be applied to the outside of the lath and pushed through sufficiently to give a good key. Over the face of the studs the plaster shall be forced well through the lath in order to fill entirely the space between the lath and the stud. The backing coat shall be applied to the back of the lath and shall be thoroughly troweled so that the lath shall be entirely covered. The final coat shall be applied to the face of the first coat.
- (b) The first coat shall be applied to the lath and thoroughly pushed through against the inside water-proofing so as to completely imbed the metal of the lath on both sides. Special care shall be taken to fill all voids around furring strips and where lath laps.
- 26. Roughing.—Soon after applying and before the initial set has taken place, the surface of the coats which are to receive succeeding coats shall be roughened with a saw-toothed paddle or other suitable device.
- 27. Dampening.—Before applying mortar the surface of the preceding coat shall be thoroughly wetted to prevent absorbtion of water from the fresh mortar.
- 28. Thickness of Coat.—(a) The first coat shall be at least %-inch thick over the face of the lath and project through behind the lath about %-inch. The backing coat shall increase the thickness behind the lath to not less than %-inch. The final coat shall be not less than %-inch thick.
- (b) The first coat shall have a minimum thickness over the lath at any point of not less than 4-inch. The intermediate coat shall have a thickness of not less than 4-inch or more than 3-inch. The final coat shall have a thickness of 4-inch when placed over an intermediate coat, or of 3-inch when placed directly on the scratch coat.
- 29. Drying Out.—The final coat shall not be permitted to dry out rapidly and adequate precaution shall be taken, either by sprinkling frequently after the mortar has set hard enough to permit it or by hanging wet burlap or other material over the surface.

 30. Freezing.—Stucco should never be applied when the temperature is below freezing.

the temperature is below freezing.

Finish.

- 31. Smooth Troweled.—The finishing coat shall be troweled smooth with a metal trowel with as little rubbing as possible.
- 32. Stippled.—The finishing coat shall be troweled smooth with a metal trowel with as little rubbing as
- If our tools are not what you expected when you receive them, then we don't want you to keep them

Exterior Plastering Specifications Continued

possible, and then shall be lightly patted with one of our No. 40 or 41 Dash Brooms to give an even, stippled surface.

- 33. Sand Floated.—The finishing coat, after being brought to a smooth, even surface, shall be rubbed with a circular motion of a wood float with the addition of a little sand to slightly roughen the surface. This floating shall be done when the mortar has partially set.
- 34. Sand Sprayed.—After the finishing coat has been brought to an even surface, it shall be sprayed with one of our number 43 or 44 Dash Brushes—dipped into a creamy mixture of equal parts of cement and sand, mixed fresh every 30 minutes and kept well stirred in the bucket by means of the Dash Brush. This coating shall be thrown forcibly against the surface to be finished. This treatment shall be applied while the finishing coat is still moist and before it has attained its final set, i. e., within 3 to 5 hours. To obtain lighter shades add hydrated lime of 5 to 15 per cent of the volume of the cement.
- 35. Splatter Dash or Rough Cast.—After the finishing coat has been brought to a smooth, even surface and before attaining final set, it shall be uniformly coated with a mixture of one part cement and two parts of sand thrown forcibly against it with our No. 44 Dash Brush to produce a rough surface of uniform texture when viewed from a distance of 20 feet. Special care shall be taken to prevent the rapid drying out of this finish.
- 36. Pebble Dash.—After the finishing coat has been brought to a smooth, even surface, and before attaining initial set, clean round pebbles or other material as selected, not smaller than ¼-inch or larger than ¾-inch, previously wetted, shall be thrown forcibly against the mortar with our No. 42 Dash Brush so as to embed themselves in the fresh mortar. They shall be distributed uniformly over the surface of the final coat and may be pushed back into the mortar with a clean wood trowel, but no rubbing of the surface shall be done after the pebbles are embedded.
- 38. Mortar Colors.—When it is required that any of the above finishes shall be made with colored mortar, not more than 6 per cent of the weight of Portland cement shall be added to the mortar in the form of finely ground coloring matter.
- A predetermined weight of color shall be added dry to each batch of dry fine aggregate before the cement is added. The color and fine aggregate shall be mixed together and then the cement and lime mixed in. The whole shall then be thoroughly mixed dry by shoveling from one pile to another through a ¼-inch mesh wire screen until the entire batch is of uniform color. Water shall then be added to bring the mortar to a proper plastering consistency.

Brick and Stone Masons' Tools Brick Hammers

Our Hammers and Scutches are hand made, and are made of high grade hammer steel. We use only second growth hickory handles. They are well balanced and shaped to please you.



No 354	355
Weight	21/4 lbs.
Price, each\$1.10	\$1.10

Brick Scutches

No					. 360	361
Weight	10.				.1% lbs.	2 lbs.
Price, each.		 			\$1.25	\$1.35



Brick Sets

Hand made, hardened and tempered. Made from finest quality tool steel, and the shape will please any bricklayer.



Brick and Stone Masons' Tools Brick Trowels

Philadelphia Pattern-"The Rose"





 No.
 512
 513

 Size, inches.
 12
 13

 Price, each.
 \$1.35
 \$1.40

Special Philadelphia Pattern—"The Rose" Wide Heel. With Leather Handle.



This is the new shape Rose recently put on the market, and it is fast becoming popular among the brick-layers.

 Same Trowel as Above with Wood Handle

 No.
 422A
 422B
 422C

 Size, inches
 10x5½
 11x6
 11½x6

 Price, each
 \$1.35
 \$1.30
 \$1.35


Brick Trowel Handles

Wood Handle with heavy ferrule.
Price, each15c



By parcel post mail man delivers package of tools to your door

Brick Layers' Finger Tape White Color-Non-Poisonous



This tape is used by bricklayers and masons to wrap around their fingers, protecting them from getting sore. The Tape is a white color, 11/4 a white color, 1% inches wide; each roll weighs 6 ounces. Every roll comes wrapped in tinfoil and pasteboard box, which keeps the Tape fresh and in good condition. Don't compare our Tape with ordinary

cheap electrical Tape, which is commonly sold as Brick-layers' Tape. Our Tape is made purposely for bricklay-ers' use, and is very adhesive. We guarantee it to stick

on your fingers.
No. 500—Price, per roll.....
No. 500—Price per dozen rolls....

Tool Bags With Leather Bottoms.

This satchel is made of 18-ounce white canvas canvas, sewed with best linen thread on a hot-wax, lock-stitch machine, cannot rip unless every stitch is cut; made with a heavy 12 - gauge steel frame, handmade; genuine russet leather handles, buckle pieces with plated buckles. The bottom is made of good quality leather, running leather, running five inches up the sides. The bottom



sides. The bottom is lined with waterproof, 20-point board, inside of board covered with 10-ounce gray canvas. The handles, billets and buckle pieces are riveted to frame by hand. Each bag has an inside pocket for small tools. Has lock and key and two straps as shown at top of bag.

Bottom rests on five metal studs when placed on surface. It can be carried through the streets and in public places looking as well as a traveling bag.

places, looking as well as a traveling bag. No. . 18 20 Length. . 18 in. 20 in. 22 in. Depth. . 14 in. 16 in. 17 in. Price each. .\$3.00 \$3.40 \$3.75 \$4.15 For Tool Bags Without Leather Bottoms See Page 16.

Remember we pay the postage and deliver to your door.

Brick and Stone Masons' Tools

Double End Beaders

Made of high grade tool steel.

No	. 1/8 X 1/4	047G 1/4 x 3/8 65c	047H 3% x ½ 70c	047I ½x5/8 75c
Trice, each	000	numero construir		



Made of high grade tool steel; large at one end and tapers down small at other end. This jointer strikes a round sunken joint. Sizes as given below are the diameters at large end.

No470A	470B	470C
Size, inches	5/8	3/4
Price, each 35c	40c	45c






K.C. Pattern

Tile Layers' and Marble Workers' Tools Tooth Chisels

			MANN .
No. 10T Size of steel. ¼ in. Price, each. \$0.15 Plain Chise	11T 5 in. \$0.18	12T 3% in. \$0.20	13T ½ in. \$0.25
	ATTENDED TO		MINOR TRANS
No. 14T Size of steel. ½ in. Price, each. \$0.15 Points	15T 5 in. \$0.18	16T 3% in. \$0.20	17T ½ in. \$0.25
			evegal
No. 20T Size of steel. ¼ in. Price, each. \$0.15	21T 5 in. \$0.18	22T % in. \$0.20	23T ½ in. \$0.25



No	¼ in.	5 in. \$0.18		
		Plain	Chisels	

Short plain head. Assorted lengths from 4 to 5

inches. Made from ¼, ½ and ¾ in. steel.
No. 30T, each12c

Marble Brace Drills



The bits come assorted widths from ½ to 1¼ inch. Made 5 or 6 inches long. When ordering state what width of bit you want. No. 32T, each......20c
The Tooth and Plain Chisels, also Points, shown on

The Tooth and Plain Chisels, also Points, shown on this page are used by Bricklayers in setting Terra Cotta as well as being used by Tile Layers and Marble Setters.

Tile Layers' and Marble Workers' Tools Double Power Tile Cut-Nippers




The opening in the frame is large enough to allow the jaws to be adjusted for wide opening as shown in cut, thus fitting them to be used in cutting tile, for which purpose they which precommended by many tile workers who are now using them. The jaws can be easily replaced when necessary. These nippers

are i inches long.	
No. 235—Price, each	2.75
Extra Jaws, per pair	.65
Extra Screws for Jaws, each	
Extra Splines for Jaws, each	
Extra Springs	.05

Tile-Lavers' Hammers

No. 1T-Weight 3 ounces......50c





CARBORUNDUM RUB STONES

These are the Genuine Carborundum. Used for dressing and smoothing granite, marble, tile, etc.



No.	215T—Size	6x2x1	inches,	price	each	\$0.55
No.	214T—Size	6x2x2	inches,	price	each	.85
No.	212T—Size	8x2x1	inches,	price	each	.70
No.	211T—Size	8x2x2	inches.	price	each	1.05
No.	208T—Size	8x3x3	inches,	price	each	1.85

ATTENTION TILE LAYERS—For Flat Trowels look on pages 2 and 3: Gauging Trowels, page 11; Levels, page 13; Tool Bags, pages 16 and 26.

We deliver to your door by the mail man

Our Mallets are made of strictly second growth Michigan Hickory. They are carefully turned in the most approved s hape, and are thoroughly seasoned before marketing, no mallet being allowed to leave our factory until it has from two to three years to dry.

Stone Cutters' Tools Mallets



Weight.....\$0S 21S 22S 23S Weight.....\$1-2 lbs. 2-3½ lbs. 4-4½ lbs. 5-5½ lbs. Price, each.....\$0.60 \$0.95 \$1.15 \$1.35



Pitching Tool

Made of high grade steel in following

 No.
 24S
 25S

 Size of steel
 ½ in.
 ½ in.

 Width of blade
 1½ in.
 2 in.

 Price, each
 40c
 75c



Points

 No.
 27S
 28S
 29S

 Size of steel.
 ½ in.
 % in.
 ¾ in.

 Price, each.
 20c
 25c
 33c
 40c

Mash Hammers—Unhandled No......34S 35S 36S Weight......3 lbs. 3½ lbs. 4 lbs.

Weight......3 lbs. 3½ lbs. 4 lbs. Price, each.....\$1.00 \$1.10 \$1.15



 Lettering Hammers—Same Shape as Above

 No.
 .37S
 38S

 Weight.
 1 lb.
 2 lbs.

 Price, each.
 \$1.10
 \$1.25

We deliver above goods to your door at these low prices.

Stone Cutters' Tools Tooth Chisels—Mallet Head



No. 39S—%-in. Steel, from 1 to 3-in. bit, ea......38c No. 40S—¾-in. Steel, from 1 to 3-in. bit, ea......45c When ordering state how wide a Bit you want.

For smaller size Tooth Chisels suitable for Marble and Terra Cotta Work, see page 28.

Plain Chisels—Mallet Head



No. 43S—%-in. Steel, from 1 to 3-in. bit, ea......38c
No. 44S—¾-in. Steel, from 1 to 3-in. bit, ea......45c
When ordering state how wide a Bit you want.

For smaller size Plain Chisels suitable for Terra Cotta and Marble Work, see page 28.

Bush Hammer Unhandled



No	49S	
Weight	. 7 lbs.	8 lbs.
Price, each	5 \$4.00	\$4.50

Tooth Axe Unhandled



 No...
 51S
 52S
 53S

 Weight.
 6 lbs.
 7 lbs.
 8 lbs.

 Price, each.
 \$2.95
 \$3.00
 \$3.50

Remember, we pay the transportation charges on above goods.

Masons' Levels or Plumb Rules—Aluminum

LEVEL COVER OR CASE-Protect Your Plumb Rule.



3 inches wide and 11% inches Plumbs or levels either end No. 45—This Rule is made of aluminum, is 45 inches long, k. Weight 4½ pounds. Has four plumbs and two levels.

thick. Weight 4½ pounds. Has four in edge up.
Price delivered to your door......

ules over up they and the For low dust, COVered by plate glass on both sides protecting them and making these important parts dirt and waterproof. The great advantages in our wood and aluminum Plumb Rules all others is that they are of double construction. No matter how they are picked up The vials in all our aluminum Levels are set the same way as in our wood Levels. are always in position for use, while the duplicate plumb glasses, one at the top, other just below the center, both reading the same way, add to its convenience. work the low overhead read, and for work, upper plumb glass is most popular Levels made. When buying tools of us please take into consideration high quality, low price, honest dealing.

Masons' Levels or Plumb Rules-Wood

This Rule, made of white pine, is 4 feet long, 3 inches wide and 1% Has a hand-hole and bob-hole. Has two plumbs and two levels. Levels We deliver to your door free of charge at these extremely low prices. \$2.40 Price, delivered at your door, either edge up. inches thick. Remember: No. 1A.

This Rule is made of white pine, is 4 feet long, 3 inches wide, and 114 It has 4 plumbs and 2 levels. Plumbs or levels either end or edge up, a narrow, light and very neat plumb rule. Guaranteed to be on the dot. plumb rule at any price. nand-holes. and has two a better inches thick.

This rule is same size as the No. 3, and made exactly the same as the it is brass bound around all edges and corners. Price, delivered to your door, \$5.00

The vials in all our Plumb Rules are protected by glass sides not allowing any mortar or dirt to accumulate about them.

your door, \$3.00.


Brick Lavers' Brush



This Brush is used for brushing joints after they have been struck up with jointer. It is made of horse hair and Tampico mixed. The whole Brush is 14 inches long. Brush part is 8 inches long. No. 720—Price. 35c

Bricklayers' Combination Joint Raker


This Raker. Jointer and Striker combined makes a smooth, perfect raked out joint. The most accurate tool of its



kind on the market. There are no screws or nuts to work loose. The revolving wheel prevents wear and will not mar the work or cause irregular depths in joints as where other rakers are used. The wheel revolving against the brick makes it easier for the mechanic to handle the tool.

The handle of the Raker forms two Strikers which will clean out any mortar that may collect.

Toadjust the Raker, swing the lever to the side and move the wheel back or



forward to the depth desired, then swing the lever back in place and the wheel is positively locked in place. This Raker is made of a special grade of steel, thoroughly tempered, making it a first-class tool in every respect. Highly recommended by leading architects and mechanics. MADE IN TWO SIZES

No. 1, length 8 in., weight 6 oz., for 1/4 to 1/2-inch joints... No. 2, length 8 in., weight 6 oz., for ½ to 1-inch

You take no chances with what you buy of us

Acid or Wall Brushes

Used for washing down brick, stone and terra cotta work after buildings are completed. Made of tampico. It is 6 inches wide 1¾ inches thick. Length of stock is 31/2 It has 14 rows of inches. stock in the length and 5 rows in the width.



No. 289-White Fibre ...

Wire Brushes

For Cleaning Up Brick or Stone, Etc.

This Brush is made of flattempered steel wire. It has five rows of wire in the width and ten rows in the length. Size of block or handle is 73/4 x23/4 inches. No. 217—Length of Wire 3 inches, each......40c
No. 218—Length of Wire 4 inches, each......45c



Wire Brushes




This Brush is made of round tempered steel wire, being a finer brush than the one above. It is designed for scrubbing and scouring on stone, brick, marble, etc. It has 5 rows of wire in width and 10 rows in length. Size of block or handle is 7\% x2\% inches. No. 781/2—Length of wire, 15/8 inches, each......50c

Wire Brush for Cleaning Out Old or New Joints

This Brush is made of round steel wire, which is 11/8 inches long; has three rows; brush part 6 inches long and 1 inch wide. From tip to tip the length is 141/2 in.

Wood Mortar Hods

This Hod is made of selected soft wood. It is well ironed and water tight. Inside measurements are as follows: Sides are 223/4 inches long and 13 inches wide. Widthacross




the top is 15 inches. Our Hods are balanced in such a manner that makes them easier to carry than the average hod, and they are demanded by hod carriers everywhere. Please do not compare our Hod with the ordinary cheap flimsy hod usually seen in department stores, because our hod is worth three of the cheap ones, and will outlast a half dozen of the imitations.

No. 100—Price each, by express (not prepaid)\$2.25 Length of handle is 4 feet.

Wood Brick Hods

Our wood Brick - Hod is made of selected soft wood. well ironed and otherwise the same as the Mortar-Hod in general workmanship. In-



side measurements are as follows: Sides are 201/4 inches long and 7 inches wide. Width across the top is 10 in. No. 200—Price each, by express (not prepaid)....\$1.50

White Cotton Masons' Line



Comes in large hanks weighing one pound and up. Price, per pound.... State size wanted.

Low prices and high quality means satisfied customers

Some More of Our Handy Book Information

Amount of Mortar to Lay Brick

How often are you asked how much mortar it takes to lay a thousand brick? How often have you had to call up some mason-contractor and ask how much sand and cement and lime it took to lay a thousand brick and cement and lime it took to lay a thousand brick and how many a man could lay in a day? The knowledge is something you ought to have. It is called for nearly every time you attempt to convince a prospective home builder that brick is really cheaper than frame construction, and ignorance of these seemingly vital points in your argument cannot fail to have its effect upon the customer. There is a good chance that some of those frame house builders would have built in brick, had you been able to give them the information at the time they asked for it. The following table is published by the Building Age, and has been found accurate by mason builders. builders.

Joints % require 8 cubic ft, of mortar to the 1,000 brick. Joints % require 10 cubic ft, of mortar to the 1,000 brick. Joints % require 12 cubic ft, of mortar to the 1,000 brick. Joints % require 15 cubic ft, of mortar to the 1,000 brick. Joints % require 18 cubic ft, of mortar to the 1,000 brick. Joints % require 22 cubic ft, of mortar to the 1,000 brick. Joints % require 22 cubic ft, of mortar to the 1,000 brick. These figures apply to both common and face brick, spread joints.

spread joints. To lay 1,000 brick in lime mortar, with proportions of one of lime to five of sand, and joints % to ½ inch will

require:

\$1.90

To lay 1,000 brick in Portland cement mortar, in pro-

These proportions are fairly extreme, the first being "poorer" than required by the building codes of some cities, and the second "richer" than is required for any but the most exposed work. The prices given on lime, sand and cement are, of course, given as a basis for com-

parison.

As for the number of brick a "good mechanic" (meaning a bricklayer who lays steadily and works in a fairly fast gang) can lay in a day is, as General Hancock said about the tariff, "a local issue." In a city where bricklayers' wages range from 65c to 75c an hour, common brickwork is laid for from \$5.00 to \$7.00 per thousand depending upon the construction and thickness of the walls. Face brick costs from \$15 to \$25 per thousand to lay, depending upon the number of openings and the general construction. These prices include hod carriers' and mortar-mixers' wages, which are about half those paid the bricklayers. parison. the bricklayers.

Canada, United States, South Africa or Europe, they all seem near to Kansas City, because we ship everywhere

Cement Tools

Cement Sidewalk Groovers

Cuts thin groove for sidewalks, ½-inch deep.

Size 6 inches long, 3 inches wide.



No. C20—Iron (Nickel Plated). Price, each......50c

Floor Groover

Same as above, but blade makes only a %-inch groove. Just the thing for inside work, such as basement floors, etc.
No. C20A—Iron (Nickel Plated). Price, each.....50c

Sidewalk or Driveway Groover Cuts Heavier Groove Than No. C20

One-half inch deep, otherwise same as C20. No. C21—Iron (Nickel Plated). Price, each......60c

Sidewalk Groover

Cuts thin groove ¾-inch deep. Size 9 inches long, 3 inches wide.

No. C26A—Iron (Nickel Plated). Price, each....90c

Driveway Groover

Cuts very heavy "V" s h a p e groove %-inch deep. Size 8 in. long, 3¼ in. wide. If you

want a heavy groover for driveways, this is it. No. C27B—Iron (Nickel Plated). Price, each.....90c

We pay the postage before it is mailed to you—no expense to you

"If you can beat our prices and get Goldblatt Quality, then you don't get GOLDBLATT Quality.'

Cement Tools Sidewalk Edgers

This Edger is made of trowel steel. It has guide on one side, as you will note in picture, convenient when using a straight edge. Size is 6 inches long, 31/2



75c

\$1.25

inches wide, and side edge is 1/2 inch deep. Made in either 1/4 or 3/8-inch radius.

.C12B C12C . 1/4 -in. 3/8 -in. Price, each.

> Curb Edger TTAJEGIOD B K.C.

This Edger is made of Trowel steel and is much lighter in, weight than a cast iron tool of the same size. Size 7 inches long, 6 inches

wide, side or edge is 2 inches deep,

Combination Curb and Gutter Tools



Size 8 inches long, 24-inch sides, radius 11/2 inches. Especially designed for finishing the inner curve formed in making combined curb and gutter. No. C35—Iron (Nickel Plated). Price, each......95c

We pay the postage before package is mailed to youcosts you nothing

Cement Tools Inside Square Angle Tools

Length.....6-inch
Sides.....2½-inch

This tool is made of trowel steel.



Length....6-inch
Sides.....1½-inch

No. C31 1/2-Iron (Nickel Plated). Price, each....50c

Outside Square Angle Tools

Length...6-inch Sides...1½-inch



No. C30 1/2 — Iron (Nickel Plated). Price, each....55c



Length. 6-inch
Sides. 2½-inch
This tool is made
of trowel steel.

No. C38—Price, each......95c

We pay the transportation charges

"Your father used Goldblatt Tools. They are better today than they were then."

Outside Round Angle Tool

Made of Trowel Steel.

Length, 6-inch.

Sides, 21/2-inch.



Made with either ¼, ½ or ¾-inch radius. ordering state what radius is wanted. No. C38R-Price, each.....


Inside Round Angle Tool Used for Steps, Coves and Base



Made of Trowel Steel. Length, 6-inch.

Sides, 21/2-inch.

Made with either ¼, ½ or ¾-inch radius. When ordering state what radius is wanted. No. C39R—Price, each.....



This is the most practical Tool made for finishing cove in base work.

Hangs fine and does the work in the very best shape. Made of Trowel Steel.

No. C13—7 inches long; 4 inches wide; depth of

edge or side, 2 inches; radius is 1 inch. Price..\$1.00

Cement Tools Tamps

Our Tampers are made of cast iron or steel. They are correct weight and well balanced. Furnished with a strong maple wood handle, 4 feet long.

Each

No. C73—4½x 9 in., cast iron. \$1.15 No. C74—6x 6 in., cast iron. 95 No. C75—8x 8 in., cast iron. 1.15 No. C76—10x10 in., cast iron. 1.35 No. C78—8x 8 in., steel face. 1.50 No. C79—10x10 in., steel face. 1.75

The No. C73, size 4½x9, is just the thing for curb tamping.

Tampers are shipped by express (not prepaid).





Steel Measuring Tapes



The Midget


This Tape is ¼ inch wide, in a stout leather case, long folding handle, center adjustable for hard wear, and trimmings are nickel plated. The diameter (outside) is

2% inches. On account of the small size, the tape can be carried in pocket with comfort.

Feet are divided into 12ths; inches into 16ths.

No																		
Length				•		•						5.			•			50 feet
Price						Ų.	4	ø.		3.								\$3.00

This Edger is made of trowel steel; has a heavy mounting. It is a very popular tool for cement base on interior work. We carry the following size in



stock—other sizes made to order: Size is 11 inches long, 5 inches wide, and side or edge is ½-inch deep. %-inch radius.

Galvanized Steel Mortar Box



This is a great improvement over the wooden mortar box; does not leak and has no rough edges to catch the hoe while mixing mortar. This box is easy to handle and can be readily placed on a wagon and moved from job to job. No tile layer, plasterer, mason or contractor should be without one. Made of No. 16 gauge galvanized steel with 1½-inch angle iron around the top. Shipped by express or freight (not, prepaid).

 Width, Inches.
 Depth, Length, Inches.
 Weight.
 Price.

 No. 5T.
 36
 12
 6
 100
 \$10.00

 No. 6T.
 40
 12
 6
 125
 11.50

We ship Tools all over the United States and Canada

Cement Tools—Solid Name Stamps



This shows the Construction of our Stamps

H.GOLDBLATT

Has handle like a Sidewalk Groover or Edger

NORMAN FLOYD CO. CONTRACTORS KANSAS CITY, MO.

H. TOOL MAKERS CO. KANSAS CITY, MO.

H.GOLDBLATT TOOL CO.

H.GOLDBLATT TOOL CO.

Kansas City, Mo.

4. BUILDERS CO 1913 ANSAS CITY, MO

ALL OUR STAMPS ARE MADE OF BRONZE

Our Name Stamps will improve the appearance of your work

Cement Tools

Prices of Name Stamps

Prices on Stamps, shown on opposite page, given below. These prices are for Stamps containing 25 letters or less. If Stamp you desire contains more than 25 letters add to the original price per additional letter as below:

Additional Letters

1/2-inch Letters—Price, per Stamp...\$2.50... 7c
5/8-inch Letters—Price, per Stamp... 3.25... 8c
3/4-inch Letters—Price, per Stamp... 4.00... 13c
1-inch Letters—Price, per Stamp... 4.50... 15c
When ordering stamps, be sure to send exact sketch

of what you want and state what size letters you want used.

All our Stamps are made of bronze.

Useful Information

One barrel cement contains 3% cubic feet.

One cubic yard of cement contains 71/4 barrels.

One cubic yard of sand and 3% barrels of cement will give a one to two mixture of cement and sand. One cubic yard of sand and gravel and 11/2 barrels of

cement will give a one to five concrete mixture.

A concrete block 8x8x16 inches is the equivalent of fourteen brick. 27.68 cubic inches of distilled water weighs 1 pound.

A cubic foot contains 7.4805 gallons at 60 degrees

Fahrenheit.

Cement one bushel and sand two bushels will cover $3\frac{1}{2}$ square yards one inch thick, $4\frac{1}{2}$ square yards $\frac{3}{4}$ inch thick or $6\frac{3}{4}$ square yards $\frac{1}{2}$ inch thick.

One barrel of Portland cement equals four bags, and

weighs 380 pounds.

A cubic foot of crushed stone, well shaken down, weighs about 100 pounds.

A cubic foot of cinder concrete averages 110 pounds. A cubic foot conglomerate concrete averages 150 pounds.

Loose, unrammed concrete weighs from 5 per cent

to 25 per cent less than when well tamped.

TROWELS CAN BE FOUND ON PAGES 2 AND 3

You should read our Handy Book Information on other pages of this catalog

Plasterers' Trowels



No. IG-Finishing Trowel, made of 24-gauge best trowel steel, highly polished and etched; mounting extends within one inch of each end of blade and contains ten large rivets. This leaves plenty of spring for finishing, also prevents lime from working between blade and mounting. Our Handles are shaped so as to fit your hand, and the Trowel is balanced so as to please the most particular mechanic.

Made in the following sizes: 11 inches, 11½ inches,

12 inches.

Price each, any size.....\$2.00

We are the originators of this pattern of Plastering rowel. Every good Plasterer uses the Goldblatt Trowel.

No. 2G—Browning Trowel, for rough coating, made of 22-gauge best trowel steel, highly polished and etched; mounting extends within a half inch of each end of blade, and contains twelve large rivets. Otherwise the same as No. 1G.

Made in same sizes as the No. 1G.

Price each, any size.....

Paola, Kan., Oct. 16th, 1913.

H. Goldblatt Tool Co., Kansas City, Mo.
Dear Sirs: Enclosed find \$4.10, for which please send me the Tools mentioned on enclosed order. Be sure you send a Goldblatt Trowel and no other kind. I have a Goldblatt Trowel that I have used for two years almost every day, has worn to less than four inches wide, but it is still as straight and true as the day I got it.

204 Towers St.

Yours truly. FRANK D. YEATER.

We receive letters like above every day all the year round

Read These—TESTIMONIALS—Study Them

Streator, Ill., Nov. 20th, 1913. H. Goldblatt Tool Co., Kansas City, Mo.

Dear Sirs: Received the two dozen rolls of Finger Tape ordered the other day, and take pleasure in advising you that the other boys and myself just think it's the best stuff on the market. Wishing you success, I am,

Very truly.

H. J. FRENCH.

1313 Wisconsin St.

Hillsboro, Tex., 6/17th/1913.

H. Goldblatt Tool Co., Kansas City, Mo.

Gentlemen: Enclosed find order for some Tools; also money order covering the cost of them as per your catalog prices. One of the Brick Hammers and one of the Sets which I am ordering are for another bricklayer; the balance of the order is for my own use.

I am always pleased to recommend your Tools to my fellow craftsmen, as I have always found them to be the very best, and, above all, I admire your firm for its quick shipments, as I only have to wait a day or two for delivery. I will order some more tools very shortly.

Respectfully, W. W. BENNETT.

109 S. Church St.

Minster, Ohio, July 26th, 1913. H. Goldblatt Tool Co., Kansas City, Mo.

Dear Sirs: Please send me the following list of Tools, for which I enclose \$7.00 in payment. It is really a pleasure for me to use your Tools.

Yours truly.

J. B. VANDERHORST.

Toronto, Ont., Canada, March 3, 1913.

H. Goldblatt Tool Co., Kansas City, Mo.

Dear Sirs: I wish to acknowledge receipt of Tools I ordered from you a few days ago. I am perfectly satisfied with the Tools, as well as the manner in which you have handled my order. I also am glad to say that I had absolutely no red tape to go through when the goods arrived.

Yours truly,

GEO. T. EVANS.

120 Yorkville Ave.

Bricklayers' Finger Tape



This is the same tape as we illustrate on page 26 of this catalog. This picture shows how each roll is put

up in a paper box.


The drug stores charge 50c to 75c a roll for the same kind of tape and they do not give you as large a roll as ours, not one-half as large. Just think how cheap you

can buy it of us.

This tape is used by bricklayers and masons to wrap around their fingers, protecting them from getting sore. The Tape is a white color, 1 1/4 inches wide; each roll weighs 6 ounces. Every roll comes wrapped in tinfoil and pasteboard box, which keeps the Tape fresh and in good condition. Don't compare our Tape with ordinary cheap electrical Tape, which is commonly sold as Brick-layers' Tape. Our Tape is made purposely for bricklayers' use, and is very adhesive. We guarantee it to stick on your fingers.

Level Vials

Best Grade



1½-in., 1¾-in., 2-in., 2½-in., or 3-in. Any size, price, each......10c

We pay the postage and deliver to your door free

PAPERHANGERS' TOOLS

On the following pages we show a large and complete line of Paperhangers' Tools. Every Tool is illustrated and described in the best way we know how. Prices are extremely low. It's the large volume of our goods that we sell enables us to quote these very LOW PRICES.

Take notice of our large and complete line of other Tools on previous pages of this catalog which are also quoted at very low prices.

Paperhangers' Cold Water Dry Paste

No Smell. No Vermin. No Waste.

Dissolves immediately in cold water. Makes a transparent and snow white paste. Can be made to any consistency by



adding more water or more dry paste. It is very adhesive, convenient, saves time, is mixed at the job and ready for immediate use. Warranted chemically pure, will never sour, and will hang any kind of wall paper.

 2½-lb. package (shipping wt. 3 lbs.)
 .\$0.25

 25-lb. pail (shipping wt. 30 lbs.)
 1.75

 100-lb. sack (shipping wt. 117 lbs.)
 6.00

One 2½-lb. package will make a large pail of paste ready to use.


Paperhangers' Prepared Wet Paste

Best on the market, always the same uniform consistency. It is perfectly smooth and white; it spreads evenly; dries without discoloration. Always ready for immediate use.

		TABLE THE C																	00 05	4
50	lbs.—wo	oden	pai	l.															\$0.85)
150	1hs -1/2	barr	el		110											 			1.75)
235	lbs.— 1	harr	el	2			10												2.60)
Λ	11 Pacto	anid	H' ()	В	n	(a	\mathbf{n}	S	a	5	U	11	V.						


We are situated in the heart of America. We ship Tools to all parts of the United States and Canada.

Ridgely's Improved Trimmer




The new frictionless model D will cut heavier goods with less weight than any trimmer made. It is the easiest handled, and less complicated than any other trimmer. The trimmers are nickel plated; the straight edge is made of the best seasoned lumber and brass bound on both edges; the front edge having an angle brass, protecting the edge from warping both ways.

Adjustable Folding Paste Table



6-foot Table ... Each \$3.00 7-foot Table ... Each 3.50 8-foot Table ... Each 3.75 Repair Parts for Ridgely Trimmers.



To distinguish the gauge wanted, No. 1 is used on all trimmers having No. 2 spring. No. 12 is used on all trimmers having No. 11 spring.

	No. 9 Blade Fits	Any Trimmer.
No.	1 Gauge \$1.00	No. 10 Screw holding
No.	2 Spring15	Spring to Gauge. \$0.15
No.	3 Jamb Nut10	No. 11 Spring
No.	4 Blade Screw15	No. 12 Gauge 1.00
No.	5 Pivot Screw15	No. 14 Adjusting
No.	6 Slide Screw15	Screw
No.	7 Arbor15	No. 16 Stay Roller15
	8 Arbor Screw15	No. 17 Stay Roller
No.	9 Blade40	Screw

Paper Hangers' Cutting Out Knife.



The most effective tool for cutting out crowns, borders, etc., that has yet been invented.
Handles, polished ebonized wood; cap and setting band, polished steel. New blades inserted by a turn of the

wrist. \$0.40 Price, complete, each. Price, extra knives, each.....


Goods shipped same day order is received.

Straightedges.

All our Straightedges are 3 inches wide by ½ inch thick, made of the very best white pine and California Red Wood. (Notice, Red Wood, not Red Birch, a much cheaper and inferior wood) air dried (not kiln dried, a much cheaper way to cure lumber), built up in five sections alternately, with grain reversed in each section, 3 coats of shellac, all brass set with screws.

We can find nothing to equal them and recommend


We can find nothing to equal them and recommend them to you as the best made.



No. 4. Brass Bound Trimmer or Knife Edge. Price, each 6 ft., \$2.25; 7 ft., \$2.40; 8 ft., \$2.50



No. 10. Steel Center Trimmer or Knife Edge. Price, each 6 ft., \$2.75; 7 ft., \$3.25; 8 ft., \$3.50



No. 5. Brass Bound Knife Edge. Price, each 6 ft., \$2.00; 7 ft., \$2.25; 8 ft., \$2.50



No. 6. Maple Bound Knife Edge. Price, each ...

Folding Trestles. With Improvements.

No. 2 - An tirely new design, excellently con-structed of hard maple, and adjust-able to various heights from 30 inches to 341/2 inches without using pins, and using pins, and without disturbing the level top. At "A" are steel clips between each piece of wood to prevent paste

from rotting it.
"B" is a break
joint spreader for
convenience and extra strength, which you simply oush up and down

Paste Board.



1/2-inch thick, 23 inches wide, 111/2 inches when folded. Made with several boards, tongue grooved and glued with grains reversed to prevent warping.

		2000	
No. 322. 6-foot Paste Board,			
No. 322. 7-foot Paste Board,			
No. 322. 8-foot Paste Board,			
Price for Trestles, per pair.	 		\$1.10
hinged or doweled.			

Paper Hangers' Combination Strap.

A very convenient combination strap for carrying paste boards, straight edge, trestles, etc. Made in 2 grades, one of heavy web canvas and one of heavy harness leather, and fits equipped with buckles and or purpose. No. 400. L No. 401. W



swivel hooks and can be adjusted to suit any length Leather, each.

If we don't have your confidence we don't expect to have your business.

Universal Extension Plank.




Every artisan who has had experience with staging will appreciate the great merit of this invention; the advantages may be summed up as follows:

Can be adjusted to fit any space. Does not spring. Will not warp. Always lies even. Affords a firm footing. Lighter than a plank of equal size. Very strong and durable.

Can be carried up any stairway.

Made of finely selected southern pine, strongly ironed, well riveted and thoroughly inspected. 12 inches wide.

										E	lach
No.	1.	6	ft.	closed.	101/2	ft.	extended,	111%	in.	wide \$	2,25
No	2	8	ft	closed	131%	ft	extended,	111%	in.	wide	3.25
							extended,				
210	. 0.	10	Tr.	Crosca,	1 /2	Tr.	Catchaca,	11/2	TIT.	W100	2,00



Adjustable Safety Hook.

The cut shows how readily and securely this

ridge board you can with safety reach any part of the roof corner or chimneys where work is to be done. No. 605. Price, each...


Painters' Trestles.




Made of clear Norway pine, with hickory rungs let into sides and secured by long heavy nails. The Trestles are put together at the head with wrought iron screw bolts, making them the most

	111	esti	les	111	the	mai	Re	L.							
	6	ft.	101	ıg,	per	pair							. 5	\$3,50	
	7	ft.	lor	ıg,	per	pair								4.00	
	8	ft	lor	ıg,	per	pair								4.50	
	10	ft.	lor	ıg,	per	pair								5.75	
	12	ft.	lor	ıg,	per	pair								7.00	
	14	ft.	lor	ıg,	per	pair								8.00	
3	16	ft.	lor	ıg,	per	pair								9.00	
	18	ft.	101	ıg,	per	pair							.]	11.00	
	I	Pric	es	qu	oted	are	for	r	tv	vo	j	a	ck	s.	

Smoothing Rollers.



Paper Hangers' Knives.



No. 7. Made of special analysis English Blue Steel, tempered entirely different from all other knives, and will hold a razor cutting edge. For the best this is it Blade 3% in. long by 1% in. wide. Notice protection clip A. No. 7. No. 07. Round point, each......30c

Square point, each.....



Gives you instantly the exact number of rolls for celling, side wall and border, for any room

告

Price 25 cents WORTH TEN TIMES THE AMOU

Wall Paper Scale.

By pulling insert to size of room, it gives instantly the number of rolls of paper required for ceiling, wall and border, regardless of the number of openings. A mighty handy device, as every paperhanger can and will use it-perfectly reliable.

Sizes, 21/2 inches wide, 51/2 inches long, vest pocket size.

Casing Knives.



Combination Base Trimmer and Corner Knife. No. 1½. Combination Base Trimmer, each.......40c





Superior Quality Casing and Roller Trimming Knife.

No. 6. 1½-inch heavy smooth edge blade, each.....30c

No. 06. 2 -inch heavy smooth edge blade, each.....35c





No. 14. 2-inch smooth blade, each.................50

We deliver the above Tools to your door at these low prices.

Seam Rollers.



11. 1.

Celluloid tire, rosewood center, 1 inch oval face, nickel frame, each.....




5.

6. 13.




Flat face, 1/2 in. solid celluloid, each35e



Maple, 2 in. oval face, metal frame, each.......15e Rosewood, 2 in. oval face, nickel frame, best tool 14. made, each .

Pouncing Wheels or Perforators.



Tempered steel wheels, makes finest pounces, will turn in ¼ inch circle, wheel ¼ and ½ inch diameter. Always specify size wanted. No. 22. Each

We pay the postage and deliver above Tools at your door.



Hand forged from finest steel and welded on composition metal, hardened in water and tempered by natural gas. Perfect in pattern and finish and specially intended for paper hangers' use. With care will last a life time. 12-inch, straight handles \$0.90 12-inch, bent handles 1.00 14-inch, straight handles 1.15 14-inch, bent handles 1.25 16-inch, straight handles 1.25 16-inch, straight handles 1.50



Handy Shear Holder.

Just the thing for the paper hanger or decorator. A patented device that takes care of your shears and keeps them always ready to your hand. Never a moment's delay in bringing them into use or putting them back into the holder. No need of looking down while placing them into or removing them from the holder. You can't go wrong if you try. The wire guard is kept in position by a blued steel spring that yields to the swing of the shears, as you pass them into the loop. You remove the shears by lifting them upwards.

Shear Sharpener.

Take the Sharpener with the points of the Scissors, pass them very lightly over the Sharpener once, then try them. If once does not have the desired effect, repeat, trying them each time. They are fine. No. 654, each.........10c





Graining Combs.

We are known as the leaders in Plasterers', Masons' and Paper Hangers' Tools, and we are that

Flexible Grainer.

A set of 5 Ridgely Flexible Grainers will produce perfect imita-tions of all grained woods in less time than has ever before been possible.

With the flexible Grainer heart work or quartered oak can be produced just as readily as straight grain.

as straight grain.

Nos. 1 and 2 are used for producing large effects, such as Walnut and Mahogany.

Nos. 3 and 4 produce open and heart grains.

No. 5 produces Quartered Oak grain and has attached to it the Comb

attached to it the Comb or Blender.

No. 00. Per set....\$2.25



Davis Patent Grainer.







set of Grainers consisting of three rolls, made of the best of three rolls, made of the best rubber, 5 inches long and 1½ inches in diameter. The corru-gated roll imitates any known growth of wood. The other vein roller reproduces quarter sawed oak grain. The roller comb, with three different sizes of combs, is especially valuable as an adjunct to the veining rollers to be used in connection with them in the graining of plain woods, as in stiles and rails. Therefore, one will be prepared to do any kind of oak, ash, chestnut, etc., graining without the use of any other tools.

Per set of 3 Rollers......\$1.00

Hand Grainer.

No. 10. Corrugations are fine and produce some beautiful effects. With the comb and quarter-sawed feature connected with this grainer makes it an excellent seller, and a valuable tool for the mechanic.

Price. Each......40c



Everything in Plasterers' Tools will be found on Pages 2 to 20.

Putty Knives.





No. 28. Blade $3\frac{1}{2}x1\frac{5}{16}$, rolled, tempered, polished and cross polished, natural beech handle. Iron rivets, stiff or elastic. Each.....15e



No. 30. Blade 3%x1%, rolled, tempered, polished and cross polished, medium lap metal bolster. Circassian walnut polished handle, brass rivets. Stiff or elastic. Each. 20c




No. 44. Chisel blade 3½x1¼, heavy steel, tempered, polished and cross polished. Swelled cocoabola or Circassian walnut handle polished, brass rivets. Stiff only.




We pay the postage and deliver to your door free,

Painters' Scrapers.




pered, polished and cross pol-

2½-inch Elastic or HalfElastic35e3 -inch Elastic or HalfElastic40e3½-inch Elastic or HalfElastic45e



No. 52. Blade rolled, tempered, polished and cross polished, heavy metal bolster. Polished Circassian walnut handle, brass rivets. Stiff or elastic. Square point only. . . 35c



Hand Scraper, beechwood handle; 3 inches No. 10.



No. 26. Handle 36 inches long; blade 4 inches wide. Each. .

Steel Wool.



Is intended for use in place of sand paper, pumice

 18 Intended for dee in place

 stone, etc.

 Steel Wool, No. 0, fine. Per lb.
 35e

 Steel Wool, No. 1, medium. Per lb.
 35e

 Steel Wool, No. 2, medium coarse. Per lb.
 25e

 Steel Wool, No. 3, coarse. Per lb.
 25e

 Steel Shavings, fine. Per lb.
 20e


 Steel Shavings, medium. Per lb.
 20e

 Steel Shavings, coarse. Per lb.
 20e

Steel Wool in Small Packages.

Put up only in Nos. 0, 1, 2 and 3 and weighing about 3 ounces each. Price each. . . .

Ladder Jack and Scaffold Support. For Painters, Tinners and Building Trades.



The above cut shows the

Paint or Kalsomine Strainer.

No. 473. Made of the best heavy tin. Place your gauze wire or cloth over Ring "B." Set the top down and clamps "A" hold it securely, easy to clean, easy to replace new straining material. Shipped with fine brass gauze wire.

Price. Each......60c



Self-Chalking Chalk Line.



Reel holds 36 feet of line, and chalk enough to last for years. Can't get out of order.

3 inches in diameter, 1 inch thick, weighs 4 oz.

Always ready; stick the awl in wall, draw the line and snap.

No. 444. Each....65c

Chalk Line Holder.

Will hold easily a 50-foot line. Fasten end of line to the steel pin on handle; always ready for use, requiring no driving of nails or helper. When not in use the steel pin and handle sinks in end of spool. Perfect satisfaction.

No. 688. Each!.....20c





Chalk.

No. 689. Red or blue color. Per dozen cones......10c


Repair Ladder Rung Replacer.

A device manufactured from Cold Rolled Steel for replacing broken rungs in ladders. It is the only invention ever placed on the market for this purpose. Invented by a practical painter who felt the need of such an appliance. Neat, strong, light and durable.




Our prices are always the lowest. It's the large volume of Tools that we sell enables us to do this.

Paperhangers' Metal Bound Paste Brushes



No. 2—8 inches wide, all Genuine Black Bristle.
Length of Bristle 5¼ inches. Price. \$3.50
No. 3—8 inches wide, all Genuine White Bristle.
Length of Bristle 5¼ inches. Price. 4.50

Paperhangers' Leather Bound Paste Brushes Short Handle



For Leather Bound Plasterers' Brushes, which are also used sometimes as Paste Brushes, see page 4.

Paperhangers' Smoothing Brushes



No. 9—12 in. wide, mixed Grey Bristle and Fibre.
Price. \$0.50

No. 10—12 inches wide, all Genuine Black Bristle.
Price. 1.25

No. 11—12 inches wide, all Genuine White Bristle.
Price. 1.25

We Prepay Transportation Charges

This means that we will deliver our Tools to your door in any part of the United States or Canada at our regular low prices shown in this Catalog

The above applies to all Tools, except those shown on the following pages: 49, 50, 52, 53, 54, 62. (Duty on goods sent to Canada or other foreign countries is paid by the purchaser—but we pay the postage.)

NO TOOLS SHIPPED C. O. D.

We are responsible beyond question. Ask any Bank or Trust Company


Tools Shipped Same Day Order
Is Received

H. Goldblatt Tool Co.

Kansas City, Missouri

The Largest Exclusive Makers of Plasterers', Masons' and Paperhangers' Tools and Supplies

TRANSPORTATION CHARGES



We Deliver
Our Tools
to Your Door at these
INW DDICES

000



